Content available at: <https://www.ipinnovative.com/open-access-journals>

IP Journal of Paediatrics and Nursing Science

Journal homepage: <https://www.jpns.in/>

Review Article

Impact of COVID 19 on differently-abled children and their parents: A research review

Manju George Pynadath ^{1,*}¹Dept. of Mental Health Nursing, Lisie College of Nursing, Kochi, Kerala, India

ARTICLE INFO

Article history:

Received 08-11-2021

Accepted 23-11-2021

Available online 11-01-2022

Keywords:

COVID-19

Telerehabilitation

ABSTRACT

Introduction: Current Covid -19 pandemic has disrupted life in every corner of the world and will likely affect those children with preexisting disabilities. About 40% of differently-abled students are planning to drop out of schools because of difficulties they are facing in online education. The social distancing measures implemented by many countries have caused social isolation among children and had resulted in increased anxiety; stress and relapse of preexisting issues.

Objectives: This study aimed a) To Review the impact of the Covid-19 pandemic on differently-abled children and their parents b) Discuss alternative measures for delivering health services for differently-abled children

Materials and Methods: A literature review through online sources of the database. Studies published from January 2020 up to October 2021 where included

Results: The review revealed that lack of socialization due to social distancing creates anxiety, stress, and depression among children and their parents. As schools have been suspended children with disabilities were not able to practice their learned skills which they attained through special education. Tele-medicine and Tele-rehabilitation activities may help to lower the prevalence of mental health issues among children and their parents

Conclusion: Everyday life of individuals across the globe has been severely affected due to the covid 19 pandemic. Amidst this, it becomes important to keep children with physical and mental disabilities not only physically safe but also looks after their psychological and emotional well-being.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

The world suddenly underwent a major and abrupt change with the advent of covid 19, a virus outbreak that was termed as a pandemic by the World Health Organization in March 2020.¹ The impact of covid 19 is evident with schools and colleges shifting classes online and work from home becoming a way of life throughout the globe.² The entire education system has shifted to online, which is not compatible with disabled children. Challenges of online learning coupled with the lack of

outdoor activities deteriorate their development. And also, their parents' stress increased.² Moreover financial crises, unemployment, and poor physical health make the situation more unpleasant.³ Challenges of online learning along with the lack of recreational activities that can be done at home can prove to be frustrating to children with disabilities. Developing social skills and social interactions has been the hardest issue for differently-abled children.³

Caregiver strain is considered a third-party disability according to The WHO classification of Functioning, Disability, and Health. Children with chronic neuro-disabilities face additional challenges due to their functional limitations and this may further stress their caregivers.⁴

* Corresponding author.

E-mail address: manjusunnyp@gmail.com (M. George Pynadath).

Because of the sudden lockdown, providing homecare therapies by the caregivers would become challenging. Although home care interventions play an important role in rehabilitation, caregivers might not have learned the technique in an appropriate manner to achieve the desired functional outcome. Moreover, certain caregivers might have found them difficult to implement because of several reasons including lack of support from healthcare providers in form of communication and interaction, low self-efficacy and low level of knowledge and ability to carry out home care therapy, and poor functioning of the child.⁵

1.1. Purpose of the study

This study aimed a) To Review the impact of the Covid-19 pandemic on differently-abled children and their parents from the reported studies b) Discuss alternative measures for delivering health services for differently-abled children as reported in the published studies.⁶

2. Materials and Methods

A literature review was conducted through online sources of data available in Google Scholar, Unicef.org, and Science Direct.⁷ Studies published from January 2020 to October 2021 were included.⁸ Search terms include “covid 19”, “impact”, “differently-abled children”, “parents”, “caregivers” etc.

3. Results

Various qualitative and quantitative studies were reviewed and most of the studies revealed similar findings. The results observed from the various studies are organized as follows:

3.1. General characteristics

Approximately 80% of the caregivers were mothers, 16% of the caregivers were fathers and only 4% were other family members. In most of the studies, the age of the children was 6-10 years. 84% of the caregivers were working at home.^{3,9}

3.2. Problems faced by children

Results inferred from various qualitative and quantitative studies. There is a large variation from time to time. Different types of disabilities identified in various studies were: Autism Spectrum Disorders, Attention Deficit Hyperactivity Disorders, Developmental Coordination Disorder, Developmental Language Disorder, Dyslexia, Cerebral Palsy, Global Developmental Delay, Speech Disorder or Impediment, Mental Health Difficulties, and Sensory Processing Disorder.³ A lack of routine and the attached uncertainty can make children with disabilities feel more anxious, grumpy, restless, and develop unpleasant feelings.² Boredom, change in routine, depression, and fear were reported in almost all studies.⁵ Stress experienced by

parents can negatively affect their children.³ During this pandemic, differentially-abled children are being exposed to violent discipline.⁴ Fear of physical illness and home confinement with social isolation were cited as contributing factors. Children with developmental disabilities are likely to be even more vulnerable to the negative mental health consequences of the pandemic as they may have limitations in understanding the rationale for pandemic-related changes such as disruptions to routine and school closure. A lack of access to the psychologist and therapist can contribute to worsening the mental health status of these children. This, in turn, can exacerbate behavioral challenges in these children, adding to the myriad of challenges already faced by caregivers.¹⁰

3.3. Problems faced by parents as evolved from qualitative studies

Parents described situations in which a child's low level of understanding leads to distress because they could not understand why everything has changed.³ Most of the studies showed the following issues among parents of differently-abled children, Uncertainty about their future (6%), feeling of depression (12.7%), difficulties in managing work from home (14%), inability to socialize with others (16.7%).³ Most of the studies reported high levels of depressive symptoms (62.5%), anxiety (20.5%), and stress symptoms (36.4%) among the caregivers of differently-abled children.¹¹ Finally, working from home during the lockdown was associated with poor psychological health, and elder living at home poses greater stress to the caregivers.⁷ One of the greatest responsibilities of parents with young children is to explain to them, the current situation as transparently as possible, as effective communication about sensitive information has long term effect on the psychological well-being of the child. Fear, along with insufficient knowledge of the pandemic leads to lack of understanding which leads to incorrect decision making.^{12,13} Thus, caregivers should aim to spend quality time with their children.^{2,9} Parents of children with developmental disabilities have greater levels of stress which also leads to a higher divorce rate attributed to the challenges of raising a child with additional needs.¹¹

3.4. Implications

Innovations are required in the provision of service delivery to these children and their parents.^{12,14} A system of online clinics and volunteer-based psychological interventions should be set up as an immediate priority to mitigate the effects of covid-19 on children with mental health issues.² Telemedicine and Telerehabilitation can be implemented.⁸ Telemedicine has an advantage in that people who cannot get to the clinic or do not like traveling can be reviewed.¹³ Other measures include Creative forms of activation and

exposure, developing new routines like exercise, art or craft, and video-based social gathering are useful.^{8,10,11} Doing less schoolwork, withdrawing from peers, and having increased baseline anxiety are other symptoms that may now be attributed, rightly or wrongly, to a normative reaction to the pandemic. WHO recommends that those with disabilities should practice at least 150 minutes per week of moderate to vigorous-intensity physical activity where possible or at least engage in regular physical activity according to their abilities and avoid inactivity.¹¹ Therefore, greater communication among service providers and caregivers regarding the removal of barriers associated with an unfavorable perception of telerehabilitation, increasing education on home care therapy, and provision of psychological intervention may help to diminish mental health issues and strain associated with caregiving.^{3–8}

4. Limitations

As it is an emerging situation, original research articles are evolving. Also, field studies are less due to the current social distancing norms. There was a large variety of data from time to time from various countries, which made it difficult to present the findings

5. Conclusion

There is evidence in the literature that children with disabilities and their families are at a greater risk of experiencing poor mental health and being under substantially greater pressure than other families during the Covid-19 pandemic.³ Greater communication among service providers and caregivers regarding removal of barriers associated with an unfavorable perception of telerehabilitation, increasing education on the home care therapy, and provision of psychological intervention may help to diminish strain associated with caregiving.^{4,10} In particular, social distancing and its effects are extremely novel and difficult to understand for children, especially those experiencing developmental and intellectual delays.² Home confinement and family environment may become key risk factors for the mental health of differently-abled children and their parents. The use of telepsychiatry, telemedicine, and telerehabilitation, and other internet-based interventions may help to overcome such issues.¹⁴

6. Source of Funding

None.

7. Conflict of Interest

None.

References

1. Child disability and covid 19: Available from: <https://data.unicef.org/topic/child-disability/covid-19/>.
2. Patel K. Mental health implications of COVID-19 on children with disabilities. *Asian Journal of Psychiatry*. 2020;.
3. Asbury K, Fox L, Deniz E, Code A, Toseeb U.
4. Theis N, Campbell N, Leeuw JD, Owen M, Schenke KC. The effects of COVID-19 restrictions on physical activity and mental health of children and young adults with physical and/or intellectual disabilities. *Disabil Health J*. 2021;14(3):101064.
5. Masonbrink AR, Hurley E. Advocating for Children During the COVID-19 School Closures. *Pediatrics*. 2020;146(3):20201440. doi:10.1542/peds.2020-1440.
6. Stark AM, White AE, Rotter NS, Basu A. 2020.
7. Holmes EA, O'connor RC, Perry VH, Tracey I, Wessely S, Arseneault L, et al. 2020.
8. Courtney D, Watson P, Battaglia M, Mulsant BH, Szatmari P. COVID-19 Impacts on Child and Youth Anxiety and Depression: Challenges and Opportunities. *Can J Psychiatry*. 2020;65(10):688–91. doi:10.1177/0706743720935646.
9. Dhiman S, Sahu PK, Reed WR, Ganesh GS, Goyal RK, Jain S. 2020.
10. Loades ME, Chatburn E, Sweeney N, Reynolds S, Shafran R. Rapid Systematic Review: The Impact of Social Isolation and Loneliness on the Mental Health of Children and Adolescents in the Context of COVID-19. *J Am Acad Child Adolesc Psychiatry*. 2020;59(11):1218–39. doi:10.1016/j.jaac.2020.05.009.
11. Students with intellectual disability hit hard by Covid-19 lockdown; 2020. Available from: <https://indianexpress.com/article/education/students-with-intellectual-disability-hit-hard-by-covid-19-lockdown-7077265/>.
12. Brown SM, Doom JR, Peña SL, Watamura SE, Koppels T. Stress and parenting during the global COVID-19 pandemic. *Child Abuse Negl*. 2020;110(2):104699. doi:10.1016/j.chiabu.2020.104699.
13. Tromans S, Kinney M, Chester V, Alexander R, Roy A, Sander JW. Priority concerns for people with intellectual and developmental disabilities during the COVID-19 pandemic. *B J Psych Open*. 2020;6(6):128.
14. Aishworiya R, Kang YQ. Including Children with Developmental Disabilities in the Equation During this COVID-19 Pandemic. *J Autism Dev Disord*. 2021;51(6):2155–8. doi:10.1007/s10803-020-04670-6.

Author biography

Manju George Pynadath, Professor <https://orcid.org/0000-0003-3420-2797>

Cite this article: George Pynadath M. Impact of COVID 19 on differently-abled children and their parents: A research review. *IP J Paediatr Nurs Sci* 2021;4(4):118-120.